


CTF002.01

RGB controller con uscita in tensione costante
 RGB controller with constant voltage output



Remote control

Per strip LED e schede LED RGB, telecomando RF con funzione sensor, sfiorando la ghiera cromatica si possono cambiare le tonalità di colore. Il controller mantiene in memoria l'ultima funzione eseguita.

Funzioni disponibili:

- ON/OFF;
- Selezione colori e regolazione intensità luminosa;
- Funzione risparmio batterie telecomando quando non usato.

For RGB LED strips and RGB LED boards. RF remote control with sensor: by touching the suitable dial you can change colours. Memory of the last function performed.


Available functions:

- ON/OFF;
- Colour selection and light intensity control;
- Battery energy saving on the remote control when not used.

Input (Vdc)	12-24V
Output (Vdc)	12-24V
Max Load (A)	4A x 3ch
Max Load (W)	144W (12V) / 288W (24V)



RGB controller **CTF001.00 - CTF002.01**

RGB controller code **CTF001.00 - CTF002.01**



RGB controller **CTF001.00 - CTF002.01** e amplificatore **CTA001.00**

RGB controller code **CTF001.00 - CTF002.01** and amplifier code **CTA001.00**



RGB controller **CTF001.00** - **CTF002.01** e driver DC-DC codice **DRF...**
 RGB controller code **CTF001.00** - **CTF002.01** and DC-DC driver code **DRF...**

