


## FEP



1x



Cavo unipolare flessibile  
Unipolar flexible cable  
Singolo isolamento FEP  
FEP single insulation



Codice Code	Colore guaina Sheath colour	mm <sup>2</sup> 	 Ø mm	T <sub>max</sub> °C	APPROVAL	 V	
92		AWG22	1.3	180°	VDE	300/500	CuSn
93		AWG22	1.3	180°	VDE	300/500	CuSn
D8		AWG22	1.2	180°	CE	300/500	CuSn
U1		AWG22	1.2	180°	CE	300/500	CuSn
U2		AWG22	1.2	180°	CE	300/500	CuSn
01		AWG20	1.6	180°	VDE	300/500	CuSn
07		AWG20	1.6	180°	VDE	300/500	CuSn
45		AWG20	1.6	180°	VDE	300/500	CuSn
85		AWG20	1.6	180°	VDE	300/500	CuSn
G8		AWG20	1.6	180°	VDE	300/500	CuSn
02		AWG18	1.8	180°	VDE	300/500	CuSn
08		AWG18	1.8	180°	VDE	300/500	CuSn
C5		0.50	1.4	180°	IMQ	300/500	CuSn
P1		0.50	1.4	180°	IMQ	300/500	CuSn
P2		0.50	1.4	180°	IMQ	300/500	CuSn
P3		0.50	1.4	180°	IMQ	300/500	CuSn
P5		0.50	1.4	180°	IMQ	300/500	CuSn
B1		0.75	1.7	180°	IMQ	300/500	CuSn
D9		0.75	1.7	180°	IMQ	300/500	CuSn